Technical data sheet 1707 siapar



Status:	Ok
Approval:	19.05.2022

Classification	Public series
Product type:	Coated abrasives
Main industries:	Furniture Production Building Interior
Further industries:	Stone

Product profile			
Grit type:	Silicon carbide		
Grit range (total):	16; 24; 36	FEPA P / ISO 6344	
Backing:	Y-wt cloth, cotton	P016 – P036	
Coating:	Mechanical closed	P016 – P036	
Bonding:	Resin over resin		
Special coating:			
Equipment:			

Properties		Technology
Removal rate:	8 - high	- siafast
Lifetime:	8 - long	
Finishing:	3 - sufficient	
Flexibility:	4 - rigid	
Contact pressure:		

Advantages		
Building Interior:	 Ideal for rotary sanding Fast and safe change of abrasive with siafast hook and loop fastening system Very high performance and long life in heavy-duty applications 	
Furniture Production:	 Ideal for rotary sanding Fast and safe change of abrasive with siafast hook and loop fastening system Very high performance and long life in heavy-duty applications 	

Applications		
Building Interior:	- Keying or sanding surfaces - Fine sanding of surfaces	
Furniture Production:	 Sanding of plaster, stone and concrete Sanding of paints, old lacquer and floor sealing Keying of solid wood Roughing insulating boards 	

Technical data sheet 1707 siapar



Material		
Building Interior:		 Plastics
	Concrete	 Concrete
	Old lacquer	 Old lacquer
	Old paint	 Old paint
	Wood	 Soft wood
	Wood	 Hard wood
Furniture Production:	Coatings	 Old lacquer
	Coatings	 Old paint
	Minerals	 Concrete
	Plastics	 Plastics
	Solid wood	 Soft wood
	Solid wood	 Hard wood

Conversion forms	Upper conversion	Lower conversion	
	Rolls	- Cloth rolls - Jumbolino - Paper rolls - Economy rolls	
	Strips	siafast stripsVarious strips	
	Delta and polygons	- Delta and polygons	
0	Discs	- Double-sided discs - siafast discs - Various discs	
	Belts	 Narrow, edge and long belts (width: 25– 399 mm/length: up to 10,700 mm) 	

Application	Superordinate group	Subgroup
- CEF	Portable machine sanding	Angle grinder
Ð	Portable machine sanding	random orbital sander
B	Portable machine sanding	Delta sander
	Manual sanding	Hand sanding with sanding block
Cut:		

Details	
No suitability for:	- Metal grinding
Sanding recommendation:	
recommendation:	



Details	
Safety recommendation:	Observe the current valid safety recommendations at: www.sia-abrasives.com > Expertise > Safety
	 Pay attention to the abrasives safety data sheet (available from sia Abrasives) Follow the general FEPA safety recommendations Use eye and face protection Use an effective dust extraction unit or wear a fine dust mask

Communication			
Claim:	For maximum performance during heavy-duty rotary sanding on plasterboard, stone and old paints		
Сору:	When it comes to removing plasterboard, stone, concrete, old paints and underseal from wood, 1707 siapar has what it takes: high performance and long life in heavy-duty applications.		
Image material:	Product Top View (PTV)	Front side: Rear side:	ID ID
	Application image	Building Interior: Furniture Production:	ID 275 ID 275
	Product show:		
	Macro shot:		
	Packaging image:		
	Product group image:		ID 1632

Main applicationSecondary application