Technical data sheet 1748 sialac



Status:	Ok
Approval:	21.09.2023

Classification	Public series
Product type:	Coated abrasives
Main industries:	Building Interior
Further industries:	Kitchens

Product profile			
Grit type:	Silicon carbide		
Grit range (total):	150-320; 400	FEPA P / ISO 6344	
Backing:	b-wt paper (FSC-certified)		
Coating:	Electrostatic		
Bonding:	Resin over resin		
Special coating:	Stearate		
Equipment:			

Properties		Technology
Removal rate:	6 - Medium	- Open coating
Lifetime:	8 - long	- siafast
Finishing:	10 - very good	- siasoft
Flexibility:	10 - highly flexible	
Contact pressure:		

Advantages		
Building Interior:	 Excellent surface quality in lacquering applications Low clogging For manual or machine use Best adaptability in the siasoft version No slipping of fingers thanks to foam back 	

Applications	
Building Interior:	

Technical data sheet 1748 sialac



Material		
Building Interior:		 Plastics
	Bodyfiller	 Bodyfiller
	Lacquers	PU lacquer
	Lacquers	NC lacquer
	Lacquers	 UV lacquer
	Lacquers	 Water-based lacquer
	Lacquers	Polyester lacquer
	Lacquers	Acrylic lacquer
	Mineral materials	 Solid surface material
	Primer filler	Primer filler
	Primers	Primer coat

Conversion forms	Upper conversion	Lower conversion
	Rolls	- Jumbolino - Paper rolls - siasoft rolls
	Sheet	- Half sheets - Standard sheets
	Strips	- siafast strips - siasoft strips - Various strips
	Delta and polygons	- Delta and polygons
	Discs	- siafast discs - siasoft discs

Application	Superordinate group	Subgroup
	Portable machine sanding	random orbital sander
	Portable machine sanding	Orbital sanders
	Manual sanding	Manual sanding
	Manual sanding	Hand sanding for edges
	Manual sanding	Hand sanding with sanding block
Cut:		

Details		
No suitability for:	- glass sanding	
Sanding		
recommendation:		

Technical data sheet 1748 sialac



Details		
Safety recommendation:	Observe the current valid safety recommendations at: www.sia-abrasives.com > Expertise > Safety	
	 Pay attention to the abrasives safety data sheet (available from sia Abrasives) Follow the general FEPA safety recommendations Use eye and face protection Use an effective dust extraction unit or wear a fine dust mask 	

Communication			
Claim:	Perfect preparation for perfect finishes		
Сору:	As a specialist product for preparation for polishing and lacquering, 1748 sialac has a number of outstanding properties which, combined, produce perfect results – whether it's keying primer coats and bodyfiller or intermediate and final sanding of lacquers.		
Image material:	Product Top View (PTV)	Front side: Rear side:	ID ID
	Application image	Building Interior:	ID 269
	Product show:		
	Macro shot:		
	Packaging image:	·	
	Product group image:		ID 1635

- Main applicationSecondary application