

Status:	Ok
Approval:	13.08.2019

Classification	Public series
Product type:	Coated abrasives
Main industries:	Building Interior
Further industries:	


Product profile	
Grit type:	Aluminium oxide
Grit range (total):	40-240 FEPA P / ISO 6344
Backing:	C-wt paper
Coating:	Closed
Bonding:	Hide glue
Special coating:	
Equipment:	





Properties	Technology
Removal rate:	6 - Medium
Lifetime:	5 - Medium
Finishing:	5 - average
Flexibility:	6 - Medium
Contact pressure:	6 - Medium

Advantages	
Building Interior:	<ul style="list-style-type: none"> - Economical all-round product for wood sanding - Can be folded and cut to any desired format - Ideal for manual sanding

Applications	
Building Interior:	<ul style="list-style-type: none"> - Sanding off rusted parts - Sanding off old varnish, paints and stains - Sanding off old paint and varnish - Sanding off raised wooden fibres - Sanding floorboards - Sanding wooden terraces and pool surrounds - Sanding off brittle or poorly adhesive paints - Keying or sanding surfaces - Keying smoothed surfaces - Keying surfaces for better paint adhesion - Fine sanding of surfaces - Flatting uneven areas - Flatting lightweight construction walls - Structuring wooden beams

Material		
Building Interior:	Old lacquer Wood	Wooden base Old lacquer Solid wood

Conversion forms	Upper conversion	Lower conversion
	Sheet	- Standard sheets

Application	Superordinate group	Subgroup
	Portable machine sanding	Orbital sanders
	Manual sanding	Manual sanding
	Manual sanding	Hand sanding with sanding block
	Manual sanding	Hand sanding for edges
Cut:	Dry application	

Details	
No suitability for:	- In heavy duty use - Stone grinding - Wet sanding
Sanding recommendation:	- Designed for universal use on orbital sanders and in manual sanding (folded)
Safety recommendation:	Observe the current valid safety recommendations at: www.sia-abrasives.com > Expertise > Safety

Communication			
Claim:	for diverse manual sanding applications on wood		
Copy:	Ideal for fast sanding on wood or for interior work with a good price/performance ratio.		
Image material:	Product Top View (PTV)	Front side:	ID
		Rear side:	ID
	Application image	Building Interior:	ID 8751
	Product show:		
	Macro shot:		
	Packaging image:		
	Product group image:		ID 12286

- Main application
- Secondary application