## **Technical data sheet** 4815 siacut



Status:	Ok
Approval:	05.08.2021

Classification	Public series
Product type:	Coated abrasives
Main industries:	General Fabrication
Further industries:	Casting and Forging Turbines Machinery, equipment

Product profile		
Grit type:	Zirconia alumina	
Grit range (total):	36; 60-80; 120-150	
Backing:	Fibre	
Coating:	Closed	
Bonding:	Resin over resin	
Special coating:	Cooling additive	
Equipment:		

Properties		Technology
Removal rate:	8 - high	
Lifetime:	8 - long	
Finishing:	7 - good	
Flexibility:	1 - very rigid	
Contact pressure:	10 - high	

Advantages	
General Fabrication:	<ul> <li>Aggressive cut</li> <li>Firm fibre backing</li> <li>Active additives with a cooling effect greatly reduce discolouration</li> </ul>

Applications	
General Fabrication:	<ul> <li>Weld preparation</li> <li>Removal of discolouration</li> <li>Stock removal</li> <li>Surface treatment</li> <li>Deburring</li> <li>Smoothing and blending of flaws</li> </ul>

Material		
General Fabrication:	Non-ferrous metals	<ul> <li>Non-ferrous metal</li> </ul>
	Stainless steel	High-alloy steels

## **Technical data sheet** 4815 siacut



<b>Conversion forms</b>	Upper conversion	Lower conversion	
0	Discs	- Fibre discs	

Application	Superordinate group	Subgroup	
- CEF	Portable machine sanding	Angle grinder	
Cut:	Dry application		

Details				
No suitability for:	- Aluminium - Wet sanding - Stone grinding			
Sanding recommendation:	<ul> <li>For aggressive grinding, select a hard sanding pad</li> <li>For soft grinding, select a soft grinding pad</li> </ul>			
Safety recommendation:	Observe the current valid safety recommendations at: www.sia-abrasives.com > Expertise > Safety - Pay attention to the abrasives safety data sheet (available from sia Abrasives) - Follow the general FEPA safety recommendations - Use eye and face protection			
	- Use an effective dust extraction unit or wear a fine dust mask			

Communication				
Claim:	The fibre disc for aggressive sanding of high-alloy steels			
Сору:	As specialist products for high-alloy steels, 4815 siacut fibre discs are suitable for a variety of applications: from general dressing work, deburring and edge chamfering through to the surface treatment of bronze ship propellers. Active cooling ingredients keep discolouration to a minimum.			
Image material:	Product Top View (PTV)	Front side: Rear side:	ID ID	
	Application image	General Fabrication:	ID 5617	
	Product show:			
	Macro shot:			
	Packaging image:			
	Product group image:		ID 6107	

Main applicationSecondary application